

Shoulder Bursitis: Exercises


Introduction

Here are some examples of exercises for you to try. The exercises may be suggested for a condition or for rehabilitation. Start each exercise slowly. Ease off the exercises if you start to have pain.

You will be told when to start these exercises and which ones will work best for you.

How to do the exercises


Posterior stretching exercise



slide 1 of 11

1. Hold the elbow of your injured arm with your other hand.
2. Use your hand to pull your injured arm gently up and across your body. You will feel a gentle stretch across the back of your injured shoulder.
3. Hold for at least 15 to 30 seconds. Then slowly lower your arm.
4. Repeat 2 to 4 times.

Up-the-back stretch



slide 2 of 11

Your doctor or physical therapist may want you to wait to do this stretch until you have regained most of your range of motion and strength. You can do this stretch in different ways. Hold any of these stretches for at least 15 to 30 seconds. Repeat them 2 to 4 times.

1. Light stretch: Put your hand in your back pocket. Let it rest there to stretch your shoulder.
2. Moderate stretch: With your other hand, hold your injured arm (palm outward) behind your back by the wrist. Pull your arm up gently to stretch your shoulder.
3. Advanced stretch: Put a towel over your other shoulder. Put the hand of your injured arm behind your back. Now hold the back end of the towel. With the other hand, hold the front end of the towel in front of your body. Pull gently on the front end of the towel. This will bring your hand farther up your back to stretch your shoulder.

Overhead stretch



slide 3 of 11

1. Standing about an arm's length away, grasp onto a solid surface. You could use a countertop, a doorknob, or the back of a sturdy chair.
2. With your knees slightly bent, bend forward with your arms straight. Lower your upper body, and let your shoulders stretch.
3. As your shoulders are able to stretch farther, you may need to take a step or two backward.
4. Hold for at least 15 to 30 seconds. Then stand up and relax. If you had stepped back during your stretch, step forward so you can keep your hands on the solid surface.
5. Repeat 2 to 4 times.

Shoulder flexion (lying down)



© Healthwise, Incorporated

slide 4 of 11

To make a wand for this exercise, use a piece of PVC pipe or a broom handle with the broom removed. Make the wand about a foot wider than your shoulders.

1. Lie on your back, holding a wand with both hands. Your palms should face down as you hold the wand.
2. Keeping your elbows straight, slowly raise your arms over your head. Raise them until you feel a stretch in your shoulders, upper back, and chest.
3. Hold for 15 to 30 seconds.
4. Repeat 2 to 4 times.

Shoulder rotation (lying down)



slide 5 of 11

To make a wand for this exercise, use a piece of PVC pipe or a broom handle with the broom removed. Make the wand about a foot wider than your shoulders.

1. Lie on your back. Hold a wand with both hands with your elbows bent and palms up.
2. Keep your elbows close to your body, and move the wand across your body toward the sore arm.
3. Hold for 8 to 12 seconds.
4. Repeat 2 to 4 times.


Shoulder blade squeeze



slide 6 of 11

1. Stand with your arms at your sides, and squeeze your shoulder blades together. Do not raise your shoulders up as you squeeze.
2. Hold 6 seconds.
3. Repeat 8 to 12 times.

Shoulder flexor and extensor exercise



slide 7 of 11

These are isometric exercises. That means you contract your muscles without actually moving.

1. **Push forward (flex):** Stand facing a wall or doorjamb, about 6 inches or less back. Hold your injured arm against your body. Make a closed fist with your thumb on top. Then gently push your hand forward into the wall with about 25% to 50% of your strength. Don't let your body move backward as you push. Hold for about 6 seconds. Relax for a few seconds. Repeat 8 to 12 times.
2. **Push backward (extend):** Stand with your back flat against a wall. Your upper arm should be against the wall, with your elbow bent 90 degrees (your hand straight ahead). Push your elbow gently back against the wall with about 25% to 50% of your strength. Don't let your body move forward as you push. Hold for about 6 seconds. Relax for a few seconds. Repeat 8 to 12 times.

Scapular exercise: Wall push-ups




slide 8 of 11

This exercise is best done with your fingers somewhat turned out, rather than straight up and down.

1. Stand facing a wall, about 12 inches to 18 inches away.
2. Place your hands on the wall at shoulder height.
3. Slowly bend your elbows and bring your face to the wall. Keep your back and hips straight.
4. Push back to where you started.
5. Repeat 8 to 12 times.
6. When you can do this exercise against a wall comfortably, you can try it against a counter. You can then slowly progress to the end of a couch, then to a sturdy chair, and finally to the floor.

Scapular exercise: Retraction




slide 9 of 11


For this exercise, you will need elastic exercise material, such as surgical tubing or Thera-Band.

1. Put the band around a solid object at about waist level. (A bedpost will work well.) Each hand should hold an end of the band.
2. With your elbows at your sides and bent to 90 degrees, pull the band back. Your shoulder blades should move toward each other. Then move your arms back where you started.
3. Repeat 8 to 12 times.
4. If you have good range of motion in your shoulders, try this exercise with your arms lifted out to the sides. Keep your elbows at a 90-degree angle. Raise the elastic band up to about shoulder level. Pull the band back to move your shoulder blades toward each other. Then move your arms back where you started.

Internal rotator strengthening exercise



View from above





© Healthwise, Incorporated

slide 10 of 11

1. Start by tying a piece of elastic exercise material to a doorknob. You can use surgical tubing or Thera-Band.
2. Stand or sit with your shoulder relaxed and your elbow bent 90 degrees. Your upper arm should rest comfortably against your side. Squeeze a rolled towel between your elbow and your body for comfort. This will help keep your arm at your side.
3. Hold one end of the elastic band in the hand of the painful arm.
4. Slowly rotate your forearm toward your body until it touches your belly. Slowly move it back to where you started.
5. Keep your elbow and upper arm firmly tucked against the towel roll or at your side.
6. Repeat 8 to 12 times.

External rotator strengthening exercise

View from above



slide 11 of 11

1. Start by tying a piece of elastic exercise material to a doorknob. You can use surgical tubing or Thera-Band. (You may also hold one end of the band in each hand.)
2. Stand or sit with your shoulder relaxed and your elbow bent 90 degrees. Your upper arm should rest comfortably against your side. Squeeze a rolled towel between your elbow and your body for comfort. This will help keep your arm at your side.
3. Hold one end of the elastic band with the hand of the painful arm.
4. Start with your forearm across your belly. Slowly rotate the forearm out away from your body. Keep your elbow and upper arm tucked against the towel roll or the side of your body until you begin to feel tightness in your shoulder. Slowly move your arm back to where you started.
5. Repeat 8 to 12 times.

Follow-up care is a key part of your treatment and safety. Be sure to make and go to all appointments, and call your doctor if you are having problems. It's also a good idea to know your test results and keep a list of the medicines you take.

Where can you learn more?

Go to <https://www.healthwise.net/patiented>

Enter **2022** in the search box to learn more about "**Shoulder Bursitis: Exercises**".

©2006-2021 Healthwise, Incorporated.

This care instruction is for use with your licensed healthcare professional. If you have questions about a medical condition or this instruction, always ask your healthcare professional. Healthwise, Incorporated disclaims any warranty or liability for your use of this information.